

# Unit 7: Input/Output Files

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Objectives

- Understand different ways of storing and retrieving information from the hard drive.
- Understand the differences between an ASCII file and a binary file.
- Learn how to write and read ASCII and binary files.

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Content

- Intro
- Manually: Import/Export data
- Programmatically
  - ASCII Files
  - Binary Files

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Input and Output

- Sometimes we may need to permanently store data and thus data will persist after the execution of the program.
- We may also need to import or export data to other applications.

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# IMPORT / EXPORT

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Import / Export

## ■ Export:

- *save*: Save workspace variables to a file with the extension `.mat`

## ■ Import

- *load*: Import previously exported MATLAB variables using the command `load`
- *xlsread*: Import data from excel files
- Using the import data assistant

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# ASCII AND BINARY FILES

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# ASCII and Binary Files

- We use ASCII and Binary files to save the output data that our program generates.
  - These files are stored in our harddrive in the same way as any other data file like word files, excel files, music files..
  - **ASCII files** contain **text** (ASCII characters). We normally save them with the file extension **.txt**
  - **Binary files** contain **binary information** (0s and 1s), which could represent numbers, images, sounds,.....

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70


---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70




# ASCII and Binary Files

- The information in the file (ASCII or Binary) is read sequentially, such as on a music tape.




Initially



While listening the **reader** moves along the tape, transforming the information read into sound

While listening



CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# ASCII and Binary Files

- We read and write the information in the files sequentially:
  - Initially, when you open the file, the “pointer” is on the first position of the file
  - When we read or write (text or binary) the pointer moves to the next position after the data read or written.
  - Most of the times you will want to write at the end of the file, so you don't overwrite what it's already in the file.

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Interactive Systems Group

# ASCII FILES

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Read and Write ASCII Files

- An ASCII file contains ASCII characters
  - **Text files which can be read by a naked eye**
- ASCII files can be created by:
  - Our programs: instead of printing the output on screen we create an ASCII file and put print the results there
  - Text editors: ASCII text editors as notepad, textedit, the MATLAB editor, ...
    - Remember: the Microsoft Word editor is not an ASCII text editor so don't use it to create ASCII files for your programs.

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70


---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Creating an ASCII Files with the MATLAB editor

- To create an ASCII file:
  - ❑ Click on “New script”
  - ❑ Write the text you want to save in the file
  - ❑ Save the file using the “.txt” extension

Write the name of your file including the .txt at the end



Make sure the file format is not .m

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70


ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Creating an ASCII Files with the MATLAB editor

- ASCII files can be created by:
  - ❑ Click on “New script”
  - ❑ Write the text you want to save in the file
  - ❑ Save the file using the “.txt” extension

Write the name of your file including the .txt at the end



Make sure the file format is not .m

**REMEMBER: MATLAB PROGRAMS USE THE EXTENSION .m  
TEXT FILES USE THE EXTENSION .txt**

**CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70**

**ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70**

**Cartagena99**

# Read and Write ASCII Files

- In an analogous way to other programming languages as C, MATLAB provides functions to read and write data into an ASCII file.
- The process will be:
  - 1 step: Open file (*fopen*)
  - 2 step: Read or write information (*fscanf*, *textscan*, *fget*, *fprintf*)
  - 3 step: Close file (*fclose*)

Cartagena99


CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Read and Write ASCII Files

- The information in the file is read sequentially, such as on a tape.
- The “open” operation leaves the reader pointer marking the beginning of the tape
- The “read” or “write” operations move the pointer to the right



tudent name: Pedro - Age: 19 – Bachelor Degree: Biomed EOF

↑  
Reader

After Reading “Age: 19” the reader pointer has moved to the right

tudent name: Pedro - Age: 19 | – Bachelor Degree: Biomed EOF

**Cartagena99**

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70



# Opening and closing files

## ■ Opening a file

```
[fi, text]= fopen ('filename', '--')
```



**File identifier.**  
In case MATLAB fails to open the file its value is -1

OPTIONAL. In case MATLAB fails to open the file provides an error message here

Name of the file

Two or three **control characters** for indicating the operation to be performed:  
'rt'  
'wt'  
'at'  
...

**Remember:** we use the name to open the file and obtain an identifier. For the rest of the operations we will use this identifier, never the name.

## ■ Closing a file

```
st = fclose (fi)
```

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Opening and closing files

- Control characters for opening a text file

Characters	Operation
'rt'	Open file for reading (default).
'wt'	Open file, or create new file if it doesn't exist, for writing; discard existing contents, if any
'at'	Open file, or create new file if it doesn't exist, for writing; append data to the end of the file.
'rt+'	Open file for reading and writing.
'wt+'	Open file, or create new file if it doesn't exist, for reading and writing; discard existing contents, if any.
'at+'	Open file, or create new file if it doesn't exist, for reading

CLASES PARTICULARES, TUTORIAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70


# Opening files

```
fid = fopen ('students.txt', 'rt')
```

Reader



When we open the file with 'rt' or 'wt' the reader points at the beginning of the file



Student name: Pedro - Age: 19 – Bachelor Degree: Biom

```
fid = fopen ('students.txt', 'at')
```

Reader



When we "append" the reader starts at the end of the file

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Checking out if the pointer is at the end of the file

- `feof(fi)` Returns 1 if the file position indicator has been set by the previous operation in the end of the file, and 0 otherwise.  
Note: `fi` is a file identifier

*feof* is very usefull. In many problems you will have to read files until you reach the end of the file. For example, when counting the elements in a file that satisfy a given condition. In these cases we use 'while' loops that read until they reach the end of the file... and you will know that because at that point *feof(fid)* will return 1.

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70



# Writing ASCII files

1

Reader



achelor Degree: Biomedical

EOF

2

Execute the command: `fprintf(fi, '%s', 'Engineering');`

3

Reader



achelor Degree: Biomedical Engineering

EOF

CLASES PARTICULARES, TUTORIAS TECNICAS ONLINE  
LLAMA O ENVIA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Example

- Write a script which asks the user to introduce a sentence, and store the sentence in a ASCII file called 'sentence.txt'

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which asks the user to introduce a sentence, and store the sentence in an ASCII file called 'sentence.txt'

```
vfile = fopen('sentence.txt','wt');  
if vfile == -1  
    disp('Error when trying to open the file');  
else  
    vsentence = input('Introduce a sentence: ','s');  
    fprintf(vfile,'%s',vsentence);  
    fclose(vfile);
```

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70



# Example

- Write a script which asks the user to introduce a sentence, and store the sentence in a ASCII file called 'sentence.txt'

```
vfile = fopen('sentence.txt','wt');  
if vfile == -1  
    disp('Error when trying to open the file');  
else  
    vsentence = input('Introduce a sentence: ','s');  
    fprintf(vfile,'%s',vsentence);  
    fclose(vfile);
```

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which asks the user to introduce a sentence, and store the sentence in a ASCII file called 'sentence.txt'

```
vfile = fopen('sentence.txt','wt');  
if vfile == -1  
    disp('Error when trying to open the file');  
else  
    vsentence = input('Introduce a sentence: ','s');  
    fprintf(vfile,'%s',vsentence);  
    fclose(vfile);
```

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which asks the user to introduce a sentence, and store the sentence in a ASCII file called 'sentence.txt' without deleting the content stored in it.

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which asks the user to introduce a sentence, and store the sentence in a ASCII file called 'sentence.txt' without deleting the content stored in it.

```
vfile = fopen('sentence.txt','at');
if vfile == -1
    disp('Error when trying to open the file');
else
    vsentence = input('Introduce a sentence: ','s');
    fprintf(vfile,'%s',vsentence);
    fclose(vfile);
```

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Reading ASCII files

- You can use three different commands to read from a text file:
  - fscanf => returns the data read in a vector or matrix
  - textscan => returns the data read in a cell array
  - fgets / fgetl => returns a string containing a whole line

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Reading ASCII files: fgets

## ■ Reading a whole line.

- `sline = fgets(file_id)` Reads the next line of the specified file and returns a string containing all the characters including the newline character at the end of the line ('\n')
- `sline = fgetl(file_id)` Reads the next line of the specified file and returns a string containing all the characters removing the newline character.

MATLAB marks the end of a line of text using the special character: \n

Note: this is a character you won't see if you open the file in a file editor, but

CLASES PARTICULARES, TUTORIAS TECNICAS ONLINE  
LLAMA O ENVIA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Reading ASCII files: fgets

1 Reader

Bachelor Degree - Biomedical Engineering\nBachelor De

2 `sline = fgets (fid);`

3

Reader

Bachelor Degree - Biomedical Engineering\nBachelor De

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Interactive Systems Group

# Reading ASCII files: fgets

*Note: The special character `\n` has the number 10 in the ASCII table. If in one of your programs you need to check if a character read from a file is the `\n` you should compare it with `char(10)`.*

*Example*

*if vcharacter == char(10)*

*...*

*Never try something like this:*

*if vcharacter == '\n'*

*...*

*MATLAB would think you are “trying to” compare vcharacter with*

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99



# Reading ASCII files: *fscanf* and *textscan*

- Sometimes you don't want to read the whole line of a file.
- To only read some pieces of information you can use *fscanf* or *textscan*
  - You specify how many pieces of what type of information (integers, characters, double..) you want to read.
  - MATLAB reads the information in the file and

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Reading ASCII files: fscanf

- Reading from a text file: *fscanf*

```
[var1, count]= fscanf (fi, 'control characters', size)
```

↑  
**Vector or matrix** in which the information is stored.

*var1* is a char vector if only *c* or *s* control characters are included  
Otherwise *var1* is a numeric vector.

↑  
Optional. The amount of elements *fscanf* has read into *var1*

↑  
File identifier  
Previously obtained when opening the file

↑  
Same control characters as the ones used in *fprint* (%c,%s, %d...)  
They specify if you want to read a character, a string, a number...

↑  
Optional. Specifies how many elements are going to be read. When not specified it reads all the data in the file, so be careful!

REMEMBER: *fscanf* returns a vector or a matrix... and this kind

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Reading ASCII files: fscanf

- Reading from a text file: *fscanf*

```
[var1, count]= fscanf (fi, 'control characters', size)
```

↑  
**Vector or matrix** in which the information is stored.

*var1* is a char vector if only *c* or *s* control characters are included  
Otherwise *var1* is a numeric vector.

↑  
Optional. The amount of elements *fscanf* has read into *var1*

↑  
File identifier  
Previously obtained when opening the file

↑  
Same control characters as the ones used in *fprint* (%c,%s, %d...)  
They specify if you want to read a character, a string, a number...

↑  
Optional. Specifies how many elements are going to be read. When not specified it reads all the data in the file, so be careful!

If the content in the file doesn't match what you ask to read


CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99


# Reading ASCII files



2

```
var = fscanf (fid, '%d', 1);
```

Reads 1 integer from the **file** Identified by the **identifier *fid*** and returns the value in the variable *var*




Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70


---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Reading ASCII files: fscanf



(2) `var = fscanf (fid, '%d', 2);` Reads 2 integers from the file Identified by the identifier *fid* and returns the value in the vector variable *var*



`var(1) ← 24`

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Reading ASCII files: fscanf

- Examples:

```
[var1, count]= fscanf (fi, '%s', 1);
```

Reads one string. **MATLAB considers that the strings in the file are delimited by blank spaces.**

```
[var1, count]= fscanf (fi, '%f', 2);
```

Read two floating-points numbers and stored them in the positions var1(1) and var1(2)

```
[var1, count]= fscanf (fi, '%10c', 1);
```

Reads one block of ten characters.

```
[var1, count]= fscanf (fi, '%f');
```

Read all the floating-points numbers and stores them in the vector var1. *Count* contains the number of floating-point numbers MATLAB could read.

```
[var1, count]= fscanf (fi, 'The password is: %s',1);
```

~~Skip the sentence 'The password is:' in the file and~~

CLASES PARTICULARES, TUTORIAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Example

- Write a script which reads one word from a text file called 'sentence.txt' and prints it on screen. Use fscanf

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which reads one word from a text file called 'sentence.txt' and prints it on screen. Use fscanf

```
vfile = fopen('sentence.txt', 'rt');  
if vfile == -1  
    disp('Error when opening the file');  
else  
    vword = fscanf (vfile, '%s', 1);  
    fprintf('The word is: %s', vword);  
end
```

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70



# Example

- Write a script which reads one word from a text file called 'sentence.txt' and prints it on screen. Use fscanf

```
vfile = fopen('sentence.txt', 'rt');  
if vfile == -1  
    disp('Error when opening the file');  
else  
    [vword, vcont] = fscanf (vfile, '%s', 1);  
    if vcont > 0    % with this we check that we have read  
                   % something  
        fprintf('The word is: %s', vword);
```

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which reads all the words of a text file called 'sentence.txt' and prints them on the screen. Use fscanf

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which reads all the words of a text file called 'sentence.txt' and prints them on the screen. Use fscanf

```
vfile = fopen('sentence.txt','rt');
if vfile == -1
    disp('Error when opening the file');
else
    while feof(vfile) == 0
        vword = fscanf (vfile,'%s',1);
        fprintf('\nThe word is: %s', vword);
    end
```

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which asks the user to introduce the name of a file to read and prints on screen all the lines in the file.

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which asks the user to introduce the name of a file to read and prints on screen all the lines in the file.

```
vname = input('Introduce the name of the file', 's');
vfile = fopen(vname, 'rt');
if vfile == -1
    disp('Error when opening the file');
else
    while (feof(vfile) == 0 )
        vline = fgets (vfile);
        fprintf('%s ', vline);
```

The variable vline contains a string that ends up with the character '\n'

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which asks the user to introduce the name of a file to read and prints on screen all the lines in the file.

```
vname = input('Introduce the name of the file', 's');  
vfile = fopen(vname,'rt');  
if vfile == -1  
    disp('Error when opening the file');  
else  
    while (feof(vfile) == 0 (  
        vline = fgetl (vfile);  
        fprintf('\n%s', vline);
```

In this case, when using fgetl, the strings will not contain the '\n' so we change of line ourselves in the

CLASES PARTICULARES, TUTORIAS TECNICAS ONLINE  
LLAMA O ENVIA WHATSAPP: 689 45 44 70


---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Reading ASCII files: textscan

- Reading from a text file



The output of TEXTSCAN is a CELL ARRAY which itself contains arrays of the various data

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70


---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Reading ASCII files: textscan

- Reading from a text file



## IMPORTANT:

When reading Strings TEXTSCAN returns a **cellarray whose cells are cellarrays that contain Strings or vectors of numbers**

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99



# Reading ASCII files: textscan

Reader

①



Bachelor Degree Biomedical Engineering | EOF

②

```
C = textscan (fid, '%s', 1);
```

③

Reader



Bachelor | Degree Biomedical Engineering | EOF

C

C{1}

{'Bachelor'}



CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

string you need to do C{1}{1}

Cartagena99



# Reading ASCII files: textscan

1

Pointer



Bachelor	Degree Biomedical Engineering	EOF
----------	-------------------------------	-----

2

```
C = textscan (fid, '%s', 2);
```

3

Pointer



Bachelor Degree Biomedical	Engineering	EOF
----------------------------	-------------	-----

C{1} ← { 'Degree', 'Biomedical' }

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---


ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Reading ASCII files: textscan

Reader

1



2

```
C = textscan (fid, '%d', 1);
```

Reader

3



C

C{1} ← [3]

CLASES PARTICULARES, TUTORIAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

need to do C{1}(1)

Cartagena99

Interactive Systems Group

# Reading ASCII files: textscan



2 `c = textscan (fid, '%d', 2);`



c

C{1} ← [5 6]

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99

# Reading ASCII files: textscan

- Examples:

```
C= textscan (fi, '%s', 1);
```

Reads one string and places it in C{1}{1}.

```
C= textscan (fi, '%d', 1);
```

Reads one number and places it in C{1}(1).

```
C= textscan (fi, '%s', 2);
```

Reads two strings and place them in C{1}{1} and C{1}{2}

```
C= textscan (fi, '%s');
```

Reads all the strings in the file and place them in C{1}{1}, C{1}{2}, C{1}{3}, C{1}{4}..

The logo for Cartagena99, featuring the text 'Cartagena99' in a stylized font with a blue and orange gradient background.

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Other functions

- Other functions:

- `varNum = str2num(varString)` Converts a string containing numbers into a number. Example:  
`var = str2num('568')`
- `frewind(fi)` Sets the file position indicator to the beginning of a file.

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Other functions

- Other functions:

- `varNum = str2num(varString)` Converts a string containing numbers into a number. Example:  
`var = str2num('568')`

- `frewind(fi)` Sets the file position indicator to the beginning of a file.



Cartagena99

CLASES PARTICULARES, TUTORIAS TECNICAS ONLINE  
LLAMA O ENVIA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Example

- Write a script which reads all the words of a text file called 'sentence.txt' and prints them on the screen. Use textscan

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70



# Example

- Write a script which reads all the words of a text file called 'sentence.txt' and prints them on the screen. Use textscan

```
vfile = fopen('sentence.txt','rt');  
if vfile == -1  
    disp('Error when opening the file');  
else  
    while (feof(vfile) == 0)  
        cword = textscan(vfile,'%s',1);  
        fprintf('\nThe word is: %s', cword{1}{1});  
    end;
```

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

# Summary: Reading ASCII files

- You can use three different commands to read from a text file:
  - `fscanf` => returns the data read in a vector or matrix  
Recommended for reading numbers, or when reading one single string at a time
  - `textscan` => returns the data read in a cell array  
Recommended for reading text files containing strings
  - `fgets` => returns a whole line (until `\n`) of text in a string  
Recommended when it is not necessary to process or split up the information in the line. For example: when copying files,

CLASES PARTICULARES, TUTORIAS TÉCNICAS ONLINE  
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

---

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS  
CALL OR WHATSAPP:689 45 44 70

Cartagena99