

Computer Programming
Bachelor in Biomedical Engineering
Bachelor in Applied Mathematics and Computing
Course 2020 / 2021

Exercise Sheet 7
Functions
- Extra exercises -
- SOLUTIONS -

Content Table

Exercise 7	2
Exercise 8	2
Exercise 9	4



CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

- - -

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP:689 45 44 70

Exercise 7

Write a function that receives a number and returns a vector containing the digits of the number.

Then, write a program to test the function. The program asks the user to introduce a number and it prints the digits

```
Introduce a number: 9456
The digits are:
Digit 1 - 6
Digit 2 - 5
Digit 3 - 4
Digit 4 - 9
```

FUNCTION

```
function [vdigits] = digits(numb)
vdigits = [];
while(numb > 0)
    digit = rem(numb,10);
    numb = floor(numb/10);
    vdigits = [vdigits digit];
end
end
```

MAIN PROGRAM

```
clear;
value = input('Introduce a number: ');
disp('The digits are:');
vector = digits(value); % call function digits
for i = 1:length(vector)
    fprintf('Digit %d - %d\n', i, vector(i));
end
```

Exercise 8

Strong numbers are numbers whose sum of the factorial of its digits is equal to the number itself (e.g. $145 = 1! + 4! + 5!$).



Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP:689 45 44 70

Example of execution:

```

Introduce a number: 145
The number is strong
Do you want to continue (Y/N)? x
Sorry, I don't understand
Do you want to continue (Y/N)? Y
Introduce a number: 125
The number is not strong
Do you want to continue (Y/N)? N

```

FUNCTIONS

```

function [fact] = myFactorial (value)
fact = 1;
for i = 1:value
    fact = fact * i;
end
end

function [isStrong] = strong (num)
vect = digits(num); % call function digits (see Exercise 7)
sumfact = 0;
for val = vect
    valfact = myFactorial(val); % call function myFactorial
    sumfact = sumfact + valfact;
end
if (sumfact == num)
    isStrong = 1;
else
    isStrong = 0;
end
end

```

MAIN PROGRAM

```

clear;
bContinue = 'Y';
while (bContinue == 'Y')
    number = input('Introduce a number: ');
    bStrong = strong(number);
    if bStrong == 1
        disp('The number is strong');
    else
        disp('The number is not strong');
    end
end

```

**CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70**

**ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP:689 45 44 70**

Cartagena99

Exercise 9

Sometimes we might need to write functions that don't return any value. In that case we write them like this:

```
function [ ] = functionName (...)  
...  
end
```

Write a function that receives a number and prints a Pascal triangle (https://en.wikipedia.org/wiki/Pascal's_triangle) with as many lines as the number received.

SOLUTION

```
function [ ] = pascalTriangle(lines)  
A = zeros(lines,lines);  
A(:,1) = 1;  
for i=2:lines  
    for n=2:lines  
        A(i,n) = A(i-1,n) + A(i-1,n-1);  
    end  
end  
for j=1:lines  
    for m=lines-1:-1:j  
        fprintf(' ');  
    end  
    for k=1:lines  
        if (A(j,k) ~= 0)  
            fprintf('%d ',A(j,k));  
        end  
    end  
    fprintf('\n');  
end  
end
```

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP:689 45 44 70



Cartagena99