



Universidad
Carlos III de Madrid

Systems Programming Groups 65-69-79 and 95

Leganés, February 21st, 2014
Duration: 10 min

Mid-Term Exam 1 (test)
Score: 5 points over 10

Only one answer is correct for each question. Each correct answer adds $\frac{1}{4}$ points. Each wrong answer subtracts $\frac{1}{12}$ points. Not answered questions do not add nor subtract points.

- No books or notes are allowed. Also, mobile phones and any other electronic devices must be off. Failure to comply with any of these norms can be reason enough for immediate expulsion out of the exam.
- Mark the answer to each question with an “X” in the table below.
- If none or more than one option is marked, the question is considered as not answered (thus not adding or subtracting points).
- Fill in your **personal details** before you start the test.

Model: A

Name:

Group:

Signature:

NIA:

--	--	--	--	--	--	--	--	--	--

	A	B	C	D		A	B	C	D
1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70**

**ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP:689 45 44 70**

1.- Select which of the following statements is *false*.

- (a) If a class implements an interface, all classes that inherit from that class also implement the interface, although not explicitly declared.
- (b) Methods of an interface can contain no code.
- (c) *** One class can implement just one interface.
- (d) An interface can declare constants as attributes.

2.- Select which of the following statements is *false*.

- (a) The composition of classes allows to have an object of a different class as attribute.
- (b) We say that Java does not support multiple inheritance because a Child class cannot inherit at the same time from a Parent class A and a Parent class B, and this inheritance hierarchy is what is called multiple inheritance.
- (c) A class cannot extend from more than one class but can implement from several interfaces.
- (d) *** We state that Java supports multiple inheritance because a Child class can inherit from a Parent class that itself inherits from a GrandParent class, and this inheritance hierarchy is called multiple inheritance.

3.- Given the following class declarations, select which one is incorrect.

```
public class Student extends Person {...}
public class Teacher extends Person {...}
public class ErasmusStudent extends Student {...}
```

- (a) `Object o = new Teacher();`
- (b) `Student s = new Student();`
- (c) ***
`Teacher t = new Person();`
- (d) `Person p = new ErasmusStudent();`

4.- Select which of the following statements is *correct*, based on the following code fragment:

```
Object o = new String("Good afternoon!");
char c = o.charAt(3);
```

The logo for Cartagena99 features the word "Cartagena" in a stylized, blue, serif font with a light blue shadow effect. The number "99" is positioned to the right of "Cartagena" in a similar blue font. Below the text, there is a horizontal orange and yellow gradient bar.

**CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70**

**ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP:689 45 44 70**

5.- Select which sentence is needed to add a new button to the *JFrame* window referenced by *frame* variable.

- (a) `frame.getContentPane().add(JButton)`
- (b) `***`
`frame.getContentPane().add(new JButton())`
- (c) `getContentPane().add(new JButton())`
- (d) `(new JButton()).getContentPane().add(frame)`

6.- Assume that we have a *Ship* abstract class with an abstract method called `public void navigate()` and two classes called *MerchantShip* and *ArmyShip* that inherit from the first one and implement the method. Given the following code, select which of the following statements is correct.

```
MerchantShip b1 = new MerchantShip("Ship-A");
ArmyShip b2 = new ArmyShip("Ship-B");
Ship[] fleet = {b1,b2};
for(int i=0; i<fleet.length; i++) {
    fleet[i].navigate();
}
```

- (a) The code is incorrect and downcasting should be done to solve the problem.
- (b) The code does not compile because we are invoking the `navigate` method on *Ship* objects, and the `navigate` method in *Ship* class is abstract.
- (c) `***` The code is correct and which of both implementations of `navigate` is going to be used is decided at runtime.
- (d) The code is incorrect and to solve the problem a conditional should be included to guess the class of each object in the array and thus to know which implementation of `navigate` should be used.

7.- Select which package has to be imported to use *JButton* class in our code.

- (a) `import java.awt.*`
- (b) `*** import javax.swing.*`
- (c) `import java.awt.event`
- (d) `import java.graphics.*`

8.- Select the *false* answer.

The logo for Cartagena99 features the text 'Cartagena99' in a stylized, blue, serif font. The '99' is significantly larger and more prominent than the 'Cartagena' part. The text is set against a light blue background with a subtle gradient and a soft shadow effect.

**CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70**

**ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP:689 45 44 70**

(d) A constructor in a Child class can only call the constructor in the Parent class if it is done in the very first sentence of the constructor code.

9.- Select which parameter must be passed to *addActionListener* in the following code so that the button listens to the events fired when a user clicks on it.

```
public class MyButton extends JButton implements ActionListener {
    private int counter;
    public MyButton() {
        super("No clicks yet.");
        counter = 0;
        addActionListener(.....);
    }
    public void actionPerformed(ActionEvent e) {
        counter++;
        setText("I have been clicked " + counter + " times.");
    }
}
```

(a) JButton

(b) ***

 this

(c) actionPerformed()

(d) new ActionListener()

10.- There is a `Person[]` data array that stores objects of the `Fireman` and `Policeman` classes, where both of them inherit from `Person` class. If an object of the `Fireman` class is inserted into the first position of the array and we want to invoke its method `putFireOut()`, select which of the following choices is correct.

(a) `putFireOut(data[0])`

(b) `data.putFireOut(0)`

(c) *** `((Fireman)data[0]).putFireOut()`

(d) `data[0].putFireOut()`

The logo for Cartagena99 features the text "Cartagena99" in a stylized, blue, serif font. The "99" is significantly larger and more prominent than the "Cartagena" part. The text is set against a light blue background with a subtle gradient and a soft shadow effect.

**CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70**

**ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP:689 45 44 70**