



ution method, an equilateral triangle of 40 mm side included in plane α . Side AB is included in a frontal line of less height than point A.

The R.L. v_α forms 40° with R.L. Point A is located 100mm of the intersection of the traces (measured over the front of 40mm)

Cartagena99

CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70


ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP: 689 45 44 70

SO

E ACADEMIC COPY



old line method, an equilateral triangle of 40 mm side included in plane α . Side AB is included in a frontal line as less height than point A. The R.L. v_α forms 40° with R.L. Point A is located 100mm of the intersection of the traces (measured over the front of 40mm)




CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP: 689 45 44 70



ge of plane method, an equilateral triangle of 40 mm side included in plane α . Side AB is included in a frontal view. Point B has less height than point A.

The R.L. v_α forms 40° with R.L. Point A is located 100mm of the intersection of the traces (measured over the horizontal of 40mm)



CLASES PARTICULARES, TUTORÍAS TÉCNICAS ONLINE
LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
CALL OR WHATSAPP: 689 45 44 70