

APPENDIX OF MEASUREMENTS.

A. Male Subjects between 20 and 46. Middlesex Hospital.

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cm ³) H x L x B	Gms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
1	—	—	67	141	200	160	4512	1530	574	80.0	Chronic nephritis. Cardiac degeneration
2	A	39	68	137	182.5	149.5	3738	1297	550	81.9	Accident. Fractures of bones
3	C	35	71	139	201	152.5	4261	1335	569	75.9	Pulmonary tuberculosis
4	C	35	70	134.5	193	145.5	3777	1282	542	75.4	Malignant growth affecting mouth
5	A	37	68	140	195	153	4177	1590	576	78.5	Accident. Fracture of skull
6	—	34	65	132	186	146	3585	1300	547	78.5	Cerebral hæmorrhage
7	C	38	68	137.5	192.5	143	3785	1400	549	74.2	Pulmonary tuberculosis. Skull thin
8	C	45	69.5	134.5	189	140	3559	1255	535	74.1	Carcinoma of stomach
9	—	45	68	132.5	185.5	147	3613	1355	555	79.2	Pneumonia. Pleural effusion
10	—	40	64	135	196	150.5	3982	1375	565	76.7	Cerebral hæmorrhage
11	C	21	66	132	185	141	3443	1340	537	76.2	Meningitis. Mastoid disease
12	—	42	63	136.5	197	148.5	3993	1380	570	75.4	Cellulitis of upper lip. Septicæmia
13	—	25	69.75	136	188.5	142	3640	1355	558	75.3	Basal meningitis. Pulmonary tuberculosis
14	A	23	66.5	138	198	154	4208	1522	576	77.8	Fracture of skull. "Large pear-shaped head"
15	—	45	71	132	191	152	3832	1208	561	79.6	
16	A	41	60.5	135	194	148	3876	1405	560	76.3	Fracture of skull [hæmorrhage
17	A	28	63.5	130	183	147	3497	1358	551	80.3	"Run over." Rupture of liver. Cerebral
18	C	45	65	130	184.5	144.5	3466	1292	541	78.3	Malignant growth. R. ext. auditory meatus
19	A	20	71.5	126	178	138	3095	1340	517	77.5	Burns. Congestion of brain
20	C	43	68	144	192	160	4424	1400	580	83.3	Fatty liver and kidneys. Delirium tremens
21	C	43	68.5	137	190	149	3878	1357	568	78.1	Tubercular nephritis. Thin skull
22	—	25	68.5	130	197	158	4046	1287	582	80.2	Fatty heart. Congestion of lungs
23	C	29	68.5	137.5	189.5	146	3804	1275	554	77.0	Morbus cordis
24	C	40	68.5	135	182	151	3710	1270	541	83.0	Carcinoma of œsophagus, and stomach
25	A	7	71	142	199	168	4747	1635	602	84.4	Impaction of food in pharynx
26	A	40	72.5	135	195	168	4423	1505	577	86.2	Inguinal hernia. Pulmonary embolism
27	—	29	69.25	135	198	151	4036	1490	564	76.3	Appendicitis. Thick skull. Foreign
28	—	35	70.5	138	193	151	4022	1485	570	78.2	
29	—	27	69.5	135	184	139	3454	1310	537	75.5	Appendicitis. General peritonitis
30	A	20	69	142	200	147	4175	1420	574	73.5	Purulent meningitis. Fracture of nasal bones
31	C	38	68.5	136	182	153	3787	1318	567	84.1	Malignant growth of kidney
32	—	24	69.75	135	190	148	3796	1432	564	77.9	Lymphatic leukaemia. Punctiform hæm. c'blm.
33	—	41	70.5	138	187	159	4103	1364	574	85.0	Lobar pneumonia. Enlarged. of liver. Foreign
34	C	45	71	137	191	159	4161	1405	584	83.2	Chronic laryngitis. Thin skull. Scalp very thick
35	C	41	67	139	195.5	153	4158	1432	574	78.3	Malignant growth of lip. Metastasis
36	—	37	61	134	191	149	3814	1207	548	78.0	Fracture of tibia. Delirium tremens
37	—	29	65	135	184	142	3527	1375	530	77.2	Cerebral tumour
38	A	36	61.5	131	187	153	3748	1350	560	81.8	"Run over." Fractures of ribs and sternum
39	C	21	61	129	182	142	3334	1236	528	78.0	Pulmonary tuberculosis
40	C	38	62.5	129	192	141	3492	1250	540	73.4	Malignant growth in floor of mouth
41	C	42	61.5	134	194.5	152	3962	1350	558	78.1	Ulceration of larynx
42	C	43	62.5	129	190	143	3505	1320	539	75.3	Carcinoma of omentum. Emaciation
43	C	37	66	138.5	201	155	4315	1525	587	77.1	Cerebral abscess following empyema
44	A	31	67.5	130	190	154	3804	1570	550	81.1	Pulmonary embolism. Inguinal hernia
45	C	34	69	131.5	192	153	3863	1340	563	79.7	Diabetes
46	C	44	69	131	192	153	3863	1340	563	79.7	Diabetes

CLASES PARTICULARES, TUTORIAS TÉCNICAS ONLINE
 LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
 CALL OR WHATSAPP: 689 45 44 70

Cartagena99

B. *Male Subjects from 46 and Upwards. Middlesex Hospital.*

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cm.) H x L x B	Gms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
58	—	50	68	140	192	155	4166	1560	560	80·7	Fatty degeneration of heart
59	C	47	69	139	190	149	3935	1330	544	78·4	Calculus nephritis. Pericarditis. Pleurisy
60	—	47	67	132	193	144	3669	1222	556	74·6	Pneumonia
61	C	49	64·5	133	190	153	3866	1415	553	80·5	Epithelioma of lower lip [ribs
62	A	50	69	130	180	145	3393	1175	530	89·6	Injuries to head. Fracture of clavicle and
63	C	48	69·5	139	201	159	4442	1330	585	79·1	Tubercular nephritis. Pulmonary tubercu- losis. Foreign
64	—	47	69	136·5	201	155	4253	1485	585	77·1	Strangulated umbilical hernia
65	A	50	72·25	129·5	195	148	3737	1470	568	75·9	Cerebral hæmorrhage. L. hemisphere
66	A	48	64·5	124·5	182·5	146·5	3329	1135	541	80·3	Fracture of base of skull
67	—	47	67	132	183·5	141	3415	1310	548	76·8	Carcinoma of stomach
68	—	50	68	122	188	147	3372	1154	550	78·2	Pleurisy, Pericarditis. Skull thick
69	C	48	68	141	204	154	4430	1510	583	75·5	Malignant growth of pharynx
70	—	49	68·5	139	197	160	4381	1415	589	81·2	Cerebral hæmorrhage into L. ventricle
71	C	48	69·5	138·5	191	151·5	4008	1468	564	79·3	Foreign
72	—	49	69	135	188	152	3858	1390	563	80·9	Subdural, and intrapontine hæmorrhage
73	—	48	66	137	188	160	4121	1380	576	85·1	Fatty degeneration of heart and kidneys
74	A	50	69·5	131	196	158	4057	1432	575	80·6	Cardiac failure
75	C	69	69·5	136	190	148	3824	1240	560	77·9	Tetanus
76	—	?	63	126	184·5	146	3394	1195	540	79·1	Lymphosarcoma of neck
77	A	58	67	131	183·5	148	3558	1225	540	80·7	Cerebral hæmorrhage. Fibroid kidneys
78	—	57	69	130·5	184	140	3362	1188	544	76·1	Fracture of spine, R. femur, and ribs
79	C	67	68·5	137	187·5	153	3930	1252	569	81·6	Compound fracture of R. tibia and fibula
80	A	61	66	136	188	150	3835	1315	552	79·8	Malignant disease of R. lung
81	—	53	69	138	185	150	3830	1245	545	81·1	Carcinoma of soft palate
82	A	60	68·5	139	190	146	3856	1430	564	76·8	Fracture of skull
83	C	58	70	128	180	141	3249	1279	532	78·3	Burns. Receding forehead
84	C	55	67·5	131	187	146	3577	1245	572	78·1	Cerebral hæmorrhage. Heavy drinker
85	A	57	67	132	196	152	3933	1309	569	77·6	Cerebral hæmorrhage
86	—	75	67·5	133	193	150	3850	1412	553	77·7	Fracture of base of skull
87	—	63	61	125·5	187	141	3309	1120	534	75·4	Carcinoma of stomach. Skull thick
88	—	69	67·25	128·5	188	141	3406	1220	540	75	Carcinoma of œsophagus
89	A	?	65	130	186	145	3506	1290	538	78	Malignant growths in liver. Skull thick
90	C	52	63·25	132	196	151	3907	1440	552	77	Carcinoma of stomach. Skull thick
91	C	66	71·5	142	194	151	4160	1370	570	77·8	Carcinoma of stomach
92	C	67	69·5	128	180	144	3318	1192	531	80·0	Compound fracture of tibia and fibula
93	—	67	67	138	183	145	3662	1230	524	79·2	Epithelioma of R. cheek
94	A	53	63	137	191	149	3899	1346	568	78·0	Fracture of base of skull
95	C	55	63	132	196	143	3700	1290	551	73·0	Epithelioma of tongue. Skull very thin
96	A	56	65	133	192	148	3779	1165	558	77·1	Coma. Alcoholic dementia. Skull thick
97	C	54	65	130	185·5	144	3473	1240	530	77·6	Fracture of skull and ribs. Skull and scalp thin
98	C	59	63	136	182	141	3490	1132	528	77·5	Carcinoma of stomach. Skull and scalp thin
99	A	65	65·5	128	183	156	3654	1242	544	85·2	Epithelioma of lips [drinker]
100	C	59	64	128	190	143	3478	1270	536	75·3	Fractured ribs. Syncope. "Heavy malt
101	C	60	65·5	128	184·5	148	3495	1218	525	80·2	Carcinoma of stomach. Skull and scalp thin
102	A	60	69	130·5	192	153	3834	1430	579	79·7	Chronic nephritis. Alcoholism. Skull thin
103	C	60	68	135	194	148	3876	1588	555	76·3	
104	C	62	65	130·5	187	150	3661	1320	548	80·2	

CLASES PARTICULARES, TUTORIAS TÉCNICAS ONLINE
 LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
 CALL OR WHATSAPP: 689 45 44 70

Cartagena99

B. Male Subjects from 46 and Upwards. Middlesex Hospital. (Continued.)

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cm.) H x L x B	Gms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
115	C	62	69.75	123	184	149.5	3383	1290	536	81.2	Carcinoma of liver
116	C	84	50.5	127	190	145	3499	1275	545	76.3	Epithelioma of lip. Scalp thin
117	C	48	61.5	128.5	190	147	3589	1250	549	77.4	Cardiac failure. Pulmonary tuberculosis
118	C	58	68.5	134	189	154	3900	1270	557	81.5	Carcinoma of tongue. Emaciated [& spleen
119	A	63	67.5	136	199	152	4114	1362	588	76.4	Fracture of skull and ribs. Rupture of liver
120	C	52	67	133	191	155	3937	1300	558	81.2	Carcinoma of rectum. Well nourished
121	A	57	66	126	183	147	3399	1173	544	80.3	Meningeal hæmorrhage. Cerebral compression
122	A	52	69	132	192	164	4200	1266	563	85.4	Fracture of scapula and ribs. Foreign. 18 stone
123	—	58	72	134	212	158	4488	1440	585	74.5	Cerebral hæmorrhage. Skull and scalp thick
124	C	63	65	129	188	149	3614	1180	551	79.3	Papilloma of stomach. Emaciated. Foreign
125	A	57	67.5	133	194	157	4051	1306	573	80.9	Cerebral hæmorrhage. Well nourished
126	A	46	69	134	196	144	3782	1350	556	73.5	Pneumonia. Fairly well nourished
127	C	61	64	128	184	144	3391	1125	531	78.3	Malignant ulceration of face. Emaciated
128	—	58	66	126	171	145	3124	1165	534	84.8	Foreign
129	—	55	65	141.5	186	154	4053	1312	558	82.8	Apoplexy. Skull thin. Scalp thick
130	C	50	66	125.5	189	151	3582	1300	547	79.9	Chronic interstitial nephritis. Scalp thin
131	C	52	66	129	196	145	3666	1270	556	74.0	Carcinoma of scrotum. Wasted
132	—	51	67	128	189	146	3532	1335	553	77.2	Tumour of stomach. Well nourished
133	—	63	69	131	198	156	4046	1450	583	78.8	Fracture of skull. Cerebral hæmorrhage
134	—	72	66.5	132	184	151	3667	1310	554	82.1	Fracture of skull. Subdural hæmorrhage

C. Female Subjects from 20 to 46 Years of Age. Middlesex Hospital.

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cms.) H x L x B	Gms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
135	C	36	—	114	179	140	2857	1027	570	78.2	Cirrhosis of liver. Excess of subarachnoid
136	—	20	63	133.5	184.5	139.5	3436	1235	523	75.6	Cerebro-spinal meningitis [fluid
137	—	35	63.5	132.5	187	153	3791	1260	558	81.8	Cellulitis and oedema of pharynx. Thick
138	—	40	60	126	182	144	3302	1165	532	79.1	Carcinoma uteri. Thin skull [skull
139	—	30	51	126	178.5	138	3104	1080	498.5	77.3	Uræmia
140	—	33	58	122.5	181	143	3171	1127	531	79.0	Valvular disease of heart. Emboli in brain
141	?	64	137	175	149	149	3572	1270	532	85.1	Pneumonia. Pericarditis
142	—	42	62	132	187	143	3530	1252	552	76.5	Fatty heart
143	—	35	66	126	180	140	3175	1200	521	77.8	Rheumatism. Bronchitis
144	—	31	66	131	181	145	3438	1290	539	80.1	Raynaud's disease
145	C	35	64	128	193	158	3903	1334	554	81.9	Carcinoma. Cervix uteri
146	A	23	69	142	176	156	3899	1380	555	88.6	Gun-shot wound in L. breast
147	A	38	65.5	129	185	142.5	3401	1140	542	77.0	Burns of neck and chest
148	—	23	67.5	128	181	141	3267	1243	540	77.9	Septicæmia
149	—	32	70	133	184	141	3451	1340	532	76.6	Pneumonia. Bronchitis

CLASES PARTICULARES, TUTORIAS TÉCNICAS ONLINE
 LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
 CALL OR WHATSAPP: 689 45 44 70

Cartagena99

C. Female Subjects from 20 to 46 Years of Age. Middlesex Hospital. (Continued.)

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cm.) H x L x B	Gms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
161	C	45	68	125	178	138	3071	1078	514	77.5	Carcinoma uteri. Thick scalp. Thick bushy hair
162	A	25	67	136	181	153.5	3779	1520	550	84.8	Unresolved lobar pneum. Cerebral congestion
163	—	39	62	133	184	145	3548	1460	535	78.8	Carcinoma uteri. Thick hair. Thin scalp
164	C	36	61	131	179.5	140	3292	1075	519	78.0	Carcinoma uteri. Skull thick, except at sides.
165	C	36	62.5	130	183	147	3497	1280	535	80.3	Carcinoma mammae [Foreign
166	C	40	60	123.5	174.5	143	3082	1180	513	81.9	Malignant dis. R. side of face. Emaciated
167	—	22	58.5	126	179	144	3248	1250	513	80.4	Diabetic coma. Scalp rather thin
168	C	40	63.5	125	184	146	3358	1190	528	79.3	Carcinoma uteri. Scalp thin
169	C	40	61.5	130.5	193	151	3803	1374	548	78.2	Addison's disease. Skull rather thick [thick
170	C	40	65	128.5	185	150	3566	1306	535	81.1	Tubercular nephritis. Skull very thin. Scalp
171	C	30	63	126	177	141	3145	1202	502	79.7	Malignant disease of R. ear. Skull very thin
172	C	42	64.5	128.5	188	145	3503	1240	539	77.1	Carcinoma mammae. Skull thick
173	C	34	63.5	131	188	145	3571	1316	540	77.1	Pernicious anæmia. Well nourished
174	C	42	62.5	130.5	189	151	3724	1280	543	79.9	Carcinoma uteri. Skull thin
175	C	39	63.5	126	190	151	3615	1350	555	79.5	Cirrhosis of liver. Ascites
176	C	39	62.5	128	175	143	3203	1180	515	81.7	Carcinoma uteri. Skull thin. Scalp thick
177	C	24	64	132	186	147	3609	1210	560	79.0	Pyonephrosis. Foreign
178	C	44	64.5	128.5	188.5	147	3561	1127	541	78.0	Softening and growth in brain
179	C	24	64.5	136	190	154	3979	1324	552	81.1	Bronchitis. Empyema. Dilated heart
180	C	30	63.5	134	187	141	3533	1210	540	75.4	Diabetic coma. Wasting. Skull thick
181	C	37	63.75	137	187	144	3689	1290	530	77.0	Carcinoma mammae. Wasted
182	C	33	55	120	179	147	3158	1100	490	82.1	Carcinoma uteri. Emaciated. Alcoholic
183	C	38	67	132	197	154	4005	1280	578	78.2	Calcareous tumour of cerebellum
184	A	26	64.5	128	175	142	3181	1175	545	81.1	Chorea. Well nourished
185	C	25	61.5	129	186	145	3479	1160	542	78.0	Tuberculosis of lungs and intestine
186	C	35	63	129.5	190	148	3642	1205	547	77.9	Pulmonary tuberculosis. Emaciated
187	C	21	66.5	128.5	191	148	3632	1163	541	77.5	Sarcoma of maxilla. Emaciated. Scalp thin

D. Female Subjects from 46 Years of Age and Upwards. Middlesex Hospital.

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cm.) H x L x B	Gms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
188	C	46	66	116	185	143	3069	1022	?	77.3	Carcinoma uteri
189	C	50	60	132	187	137.5	3394	1243	528	73.5	Carcinoma of breast, and pleura
190	C	46	66	139	185	144	3703	1350	532	77.8	Malignant growths in peritoneum
191	C	50	63	124	181	141	3165	1237	522	77.9	Epithelioma of scalp and face
192	C	46	67.5	130	183	141	3354	1204	522	77	Carcinoma of urethra
193	C	49	60.5	123	173	141	3000	1090	514	81.5	Carcinoma uteri. Scalp and hair thin
194	C	49	65.5	132	185	151	3687	1355	545	81.6	Cystic kidneys. Uremia. Skull thin
195	C	48	64	129	185	149	3556	1250	530	80.5	Carcinoma uteri. Skull thin
196	C	47	62.5	130.5	177	140	3273	1078	516	73.4	Carcinoma mammae. Skull very thick

CLASES PARTICULARES, TUTORIAS TECNICAS ONLINE
 LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
 CALL OR WHATSAPP: 689 45 44 70

Cartagena99

D. Female Subjects from 46 Years of Age and Upwards. Middlesex Hospital. (Continued.)

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cms.) HxLxB	Gms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
206	C	54	60.5	129.5	181	157.5	3692	1305	548	87.0	Carcinoma. Metastases in L. hip. Thin skull
207	C	60	64.5	132	179	144	3402	1220	523	80.4	Chronic interstitial nephritis. Scalp thin
208	—	62	62.5	136	192	153	3995	1296	561	79.7	Chr. nephritis. Fatty degen. of Heart. Very thick skull
209	C	53	61	128	180	144	3318	1175	523	80.0	Carcinoma mammae. Skull thick. Scalp thin
210	C	68	61	120	173	131	2720	955	502	75.7	Carcinoma uteri. Scalp thin
211	C	63	62.5	126.5	172	135	2937	1070	520	78.5	Sarcoma of nose
212	—	51	66	134	183	146	3580	1320	532	79.8	Appendicitis. Hair and skull thin
213	C	78	58.5	121	176	138	2939	1060	509	78.4	Carcinoma recti. Skull very thin
214	C	57	61	123	180	135	2989	1130	525	75.0	Carcinoma mammae. Emaciated
215	—	68	64	128	188	140	3586	1250	540	79.3	Carcinoma of pancreas. Well nourished
216	C	58	60.5	124	178	143	3156	1225	515	80.3	Carcinoma mammae. Cerebral abscess
217	C	59	65	127	180	142	3246	1180	524	78.9	Carcinoma mammae. Skull thin
218	C	49	57	126	181	139	3170	1178	512	76.8	Carcinoma uteri. Fairly nourished
219	C	56	60	122	186	144	3268	1142	541	77.4	Carcinoma. Signoid flexure of colon
220	C	58	59	133	182	140	3389	1130	520	76.9	Carcinoma uteri
221	C	62	62.5	128.5	184	143	3381	1185	528	77.7	Carcinoma uteri. Wasted
222	C	67	63	124	175	132	2864	1012	509	75.4	Carcinoma uteri. Well nourished
223	—	47	64	133	185	152	3740	1280	547	82.2	
224	C	64	59	131.5	180	147	3479	1103	532	81.7	Carcinoma mammae
225	C	47	65	131	192	145	3647	1408	565	75.5	Carcinoma mammae. Skull rather thick
226	A	74	63	128	191	152	3716	1300	564	79.6	Strang. femoral hernia. Well nourished
227	C	67	62	125	185	142	3284	1246	528	76.8	Cerebral haem. Interstitial nephritis. Emac.
228	A	50	—	142	191	155	4204	1380	559	81.2	Fall. Rupture of aorta. Fracture of ribs. Fat
229	C	63	63	130	189	152	3735	1350	548	80.4	Malignant dis. of intestines. Very fat. Skull
230	A	74	62	121	186	143	3218	1060	542	76.9	Fractured ribs. Skull and scalp thick [thin
231	C	49	65.5	137	185.5	145	3685	1350	535	78.2	Carcinoma of omentum. Very fat. Skull thin
232	C	46	67	135	196	140	3704	1220	521	71.4	Carcinoma uteri. Emaciated. Skull thick
233	C	46	62.5	126.5	174	146	3214	1110	532	83.9	Pulmonary tuberculosis. Skull thick & spongy
234	C	50	64.5	125	181	150	3394	1215	542	82.9	Carcinoma uteri. Emaciated. Scalp thin
235	C	63	58.5	127	178	143	3233	1104	522	80.3	Carcinoma mammae. Emaciated. Skull thin
236	C	56	64.5	126.5	184	144	3352	1170	533	78.3	Carcinoma of stomach. Slight wasting
237	C	63	62	128	179	148	3391	1120	537	82.7	Carcinoma uteri. Emaciated. Scalp thin

E. Children ♂.

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cms.) HxLxB	Gms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
238	C	2.5 ms.	22	89.5	125	95	1063	450	361	78.0	Broncho-pneumonia
239	A	9 ms.	28	114	155	117	2067	—	—	75.5	Peritonitis
240	—	1 y.-8 m.	37.5	119	168	125	2499	1052	481	74.4	Tubercular meningitis
241	—	9 y.-6 m.	31.75	111	160	121	2227	1015	474	81.9	Acute vascular tuberculosis

CLASES PARTICULARES, TUTORIAS TÉCNICAS ONLINE
 LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
 CALL OR WHATSAPP: 689 45 44 70

Cartagena99

E. Children ♂. (Continued.)

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cms.) H × L × B	Grms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
251	—	10	52	137·5	187	149·5	3844	1417	539	79·9	Pericarditis. Foreign
252	C	11	55	130	181	145	3412	1412	532	80·1	Morbus cordis [spleen
253	A	12	65	136	183	141	3509	1379	540	77·1	"Run over." Fracture of ribs. Rupture of
254	—	12	48·5	122·5	183	142	3183	1322	528	77·6	Broncho-pneumonia. Pulm. tuberculosis
255	—	12-13	56·5	134	184	143	3526	1454	530	77·7	
256	C	15	62·5	141	190·5	151	4056	1618	547	79·2	Diabetes. Coma
257	C	17	67	129	189	150·5	2669	1095	536	79·6	Morbus cordis. Wasted. Foreign
258	C	18	71	131	172	142	3200	1230	520	82·6	Tubercular meningitis. Foreign
259	C	19	67	143	187	146	3904	1460	556	78·1	Psoas abscess. Tubercular meningitis
260	A	19	67·5	135	191	157	4048	1278	558	82·2	Bullet wound in head
261	A	19	65·5	133	188·5	147·5	3698	1412	540	78·2	Pneumonia
262	—	19	69·5	138	189	149	3886	1450	547	78·8	Cerebral abscess. Meningitis

F. Children ♀.

No.	Acute or Chronic	Age	(Inches) Stature	(Millimetres)			(Cms.) H × L × B	Grms. Brain weight	Mm. Circ.	Cephalic Index	Cause of Death, etc.
				H	L	B					
263	—	3 wks.	21·5	92·5	114	88·5	933	385	324	77·6	Bronchitis. "Brought in dead"
264	—	2·5 ms.	22	94·5	129·5	99	1212	490	369	76·4	Gastro-enteritis. Foreign
265	C	5 ms.	22·5	88·5	129	95	1085	512	368	73·6	Convulsions
266	C	6 ms.	24·5	100	132·5	104·5	1385	503	385	78·8	Malignant growth of orbit (? sarcoma)
267	C	8 ms.	25	118	144	126	2141	960	437	87·5	Rickets. Gastro-enteriti. Foreign
268	C	2 y.-6ms.	33·5	124	172	132	2815	995	496	76·7	Tuberculosis. Emaciated
269	A	3 y.-6ms.	38·5	114	164	126	2356	1100	475	76·8	Fracture of base of skull
270	—	7	47	121	169	131	2679	1120	493	77·5	Pulmonary tuberculosis. Meningitis
271	C	7	48	118	174	133	2731	1205	485	76·4	
272	C	15	61·5	128	185	139	3292	1205	518	75·1	Otitis media. Thrombosis of R. lateral sinus
273	C	17	61	125·5	178	143·5	3206	1180	524	80·6	Tubercular meningitis. Skull thick. Emac.
274	C	18	53·5	125	179	135	3021	1147	507	75·4	Mitral regurgitation. Gangrene of hands
275	C	18	66	139	186	151	3904	1419	554	81·2	Chronic otitis media. Cerebellar abscess
276	—	19	65	131	179	141	3306	1245	512	78·8	

CLASES PARTICULARES, TUTORIAS TÉCNICAS ONLINE
 LLAMA O ENVÍA WHATSAPP: 689 45 44 70

ONLINE PRIVATE LESSONS FOR SCIENCE STUDENTS
 CALL OR WHATSAPP: 689 45 44 70

Cartagena99